

INDEX MAPS.

T. 10 N. R. 10 E. 2nd Mer.

	135		135		136		136		136		137	
140	6	161	5	155	4	151	3	147	2	143	1	135
	160		160		155		151		147		143	
139	7	160	8	154	9	150	10	147	11	143	12	134
	159		159		154		150		146		142	
139	18	159	17	154	16	150	15	146	14	142	13	134
	158		158		153		149		146		142	
138	19	158	20	153	21	149	22	145	23	141	24	134
	157		157		153		149		145		141	
138	30	156	29	152	28	148	27	144	26	141	25	133
	156		156		152		148		144		140	
137	31	155	32	151	33	148	34	144	35	140	36	133
	131		131		131		131		131		131	
	133		133		132		132		132		132	

T. 11 N. R. 10 E. 2nd Mer.

	169		169		168		168		167		167	
171	6	193	5	187	4	183	3	179	2	175	1	167
	192		192		186		182		178		175	
171	7	192	8	186	9	182	10	178	11	174	12	166
	191		191		186		182		178		174	
170	18	191	17	185	16	181	15	177	14	174	13	166
	190		190		185		181		177		173	
170	19	190	20	185	21	181	22	177	23	173	24	165
	189		189		184		180		176		173	
170	30	188	29	184	28	180	27	176	26	172	25	165
	188		188		184		180		176		172	
169	31	187	32	183	33	179	34	175	35	171	36	165
	163		163		163		164		164		164	

The figures on the lines refer to the page.

Township N. 10 North, Range N. 10 East 2. Mer, Indiana 131
Ch. 10.

South Boundary, Random line

East On S. boundary of Sec. 31

32.50 a Creek 50 yds. wide Comse S.W.

40.00 Set tempy. q. Sec. post

80.00 Set tempy. Cor. to Sect. 31 & 32

Over rolling land, timber Beech, Poplar &c.

East On S. boundary of Sec. 32

21.81 a Brook 100 yds. wide Comse N.W.

40.00 Set tempy. q. Sec. post

65.56 a Brook 7 yds. wide Comse S.W.

80.00 Set tempy. Cor. to Sect. 32 & 33

Land timber &c. same as on last mile

East On S. boundary of Sec. 33

40.00 Set tempy. q. Sec. post

80.00 Set tempy. Cor. to Sect. 33 & 34

Over level wet land, timber Beech, (Maple &c)

East On S. boundary of Sec. 34

40.00 Set tempy. q. Sec. post

44.50 a Brook 7 yds. wide Comse S.

72.50 a Creek 20 " " S.W.

80.00 Set tempy. Cor. to Sect. 34 & 35

Over rolling land, Beech, Sugar &c. under Spruce

East On S. boundary of Sec. 35

40.00 Set tempy. q. Sec. post

58.59 a Brook 5 yds. wide Comse S.W.

80.00 Set tempy. Cor. to Sect. 35 & 36

Over level land, Beech, Sugar, Spruce

East On S. boundary of Sec. 36

40.00 Set tempy. q. Sec. post

61.24 a Brook 8 yds. wide Comse S.

77.46 Intersected the N & S. line between Range 10 &

Town R10 E. 2nd Mer Indiana
ch. 6th
N East Town 9 & 10 St.
On level Beech land

True Line

Nest On S. boundary of Sec. 36
40.00 Set gr. Sec. post, from which
at Beech 8 m. dist. by N 60 E 16 lns. dist. of
a do. 8 " " " N 33 W 11 " "
80.00 Set post Cor. to Sect. 35 & 36, from which
at Beech 10 m. dist. by N 29 E 5 lns. dist. of
a do. 14 " " " S 51 E 30 " "

Nest On S. boundary of Sec. 35
40.00 Set gr. Sec. post, from which
at Beech 5 m. dist. by S 52 E 7 lns. dist. of
a do. 8 " " " S 86 W 7 " "
80.00 Set post Cor. to Sect. 34 & 35, from which
an Elm 5 m. dist. by N 14 E 13 lns. dist. of
a Poplar 12 " " " S 16 W 14 " "

Nest On S. boundary of Sec. 34
40.00 Set gr. Sec. post, from which
a Sugar 13 m. dist. by N 9 E 18 lns. dist. of
at Beech 11 " " " S 50 E 5 " "
80.00 Set post Cor. to Sect. 33 & 34, from which
at Beech 13 m. dist. by N 36 E 10 lns. dist. of
a do. 4 " " " S 14 E 9 " "

Nest On S. boundary of Sec. 33
40.00 Set gr. Sec. post, from which
at Beech 10 m. dist. by S 56 W 5 lns. dist. of
a do. 8 " " " N 77 E 15 " "
80.00 Set post Cor. to Sect. 32 & 33, from which
at Beech 9 m. dist. by S 82 E 19 lns. dist. of
a Sugar 6 " " " N 80 W 9 " "

133
Mt. P.O.E. 2nd Mer. Indiana

ch² 1/2

West On S. boundary of Sec. 32

40.00 At post Cor. to gr. Sec. from which
a Beech 10 in. dia. bay N13E 7 1/2 km. dist. of
a do. 18 " " " S53W 9 " "

80.00 At post Cor. to Sec. 31 of 32 from which
a Beech 14 in. dia. bay N45W 11 km. dist. of
a do. 20 " " " N74E 28 " "

West On S. boundary of Sec. 31

40.00 At gr. Sec. post, from which
a Pecanore 10 in. dia. bay N43E 22 km. dist. of
a do. 20 " " " N43W 21 " "

78.50 Intersected Town Corner.

East Boundary var. 7° 00' E.

North On E. boundary of Sec. 36

10.00 a W. Oak 36 in. dia.

30.00 a Branch 6 km. wide Comes E.

40.00 At gr. Sec. post, from which
a Beech 8 in. dia. bay S20W 21 km. dist. of
a do. 6 " " " N49W 17 " "

55.26 a Maple 24 " "

80.00 At post Cor. to Sec. 25 of 36 from which
a Beech 10 in. dia. bay N81E 14 km. dist. of
a do. 10 " " " N31W 23 " "

Level land, timber Beech, Poplar Oak &c.
'undng^r. Spruce, Beech &c

North On E. boundary of Sec. 25

40.00 At gr. Sec. post, from which
an Oak 36 in. dia. bay N44E 13 km. dist. of
a Beech 5 " " " S74W 22 " "

61.08 a Beech 20 " "

80.00 At post Cor. to Sec. 24 of 25 from which
a Beech 10 in. dia. bay S7W 7 km. dist. of
a do. 12 " " " N4E 9 " "

134

Post RWE. 2^d Mer. Indiana
chilly
Sand timber &c. same as on last mile

North On E. boundary of Sec. 24.

40.00 At gr. Sec. post, from which
a Beech 15 m. dist. by S 32° W 25 lks. dist. of
a Maple 24 " " " N 72° W 22 " "

47.96 a Beech 24 " "

61.50 a Branch 24 lks. wide Course —

67.63 a Poplar 36 m. dist.

80.00 At post Cor. to Sec. 13 of 24, from which
a Beech 10 m. dist. by N 10° W 12 lks. dist. of
a Do. 6 " " " N 42° W 22 " "

Sand timber &c. same as on last mile

North On E. boundary of Sec. 13

40.00 At gr. Sec. post, from which
a Beech 10 m. dist. by N 47° E 21 lks. dist. of
a Do. 8 " " " S 63° W 14 " "

47.08 an Oak 28 " "

80.00 At post Cor. to Sec. 12 of 13, from which
a Elm 20 m. dist. by N 10° W 7 lks. dist. of
a Beech 24 " " " N 47° W 32 " "

Sand timber &c. same as on last mile

North On E. boundary of Sec. 12

33.90 a Beech 15 m. dist.

40.00 At gr. Sec. post, from which
a Beech 10 m. dist. by N 47° W 36 lks. dist. of
a Do. 5 " " " S 76° W 24 " "

41.00 a Branch 6 lks. wide Course E.

47.50 a Do. 4 " " " S. E.

74.00 a Do. 4 " " " S. E.

80.00 At post Cor. to Sec. 11 of 12, from which
a Beech 15 m. dist. by N 67° W 23 lks. dist. of
a Do. 12 " " " S 46° W 19 " "

Rolling 2^d rate land timber Beech, Oak,

135

Mt. Pleasant, Mer. Indiana
 ch. l. h. Poplar &c. undag^d. Spruce

North On E. boundary of Sec. 1
 38.00 a Creek 40 l. h. wide Comse E.
 40.00 Set of Sec. post, from which
 a Beech 30 m. dist. bear S 28 E 13 l. h. dist. of
 a do. 12 " " " N 36 E 38 " "
 75.00 a Branch 6 l. h. wide Cr. St. E.
 81.20 a Beech 18 m. dist. Cor. to Township 10 of 11
 North, Range 10 of 11 East, from which
 a Beech 30 m. dist. bear N 15 E 35 l. h. dist. of
 a do. 18 " " " S 9 W 40 " "
 (Description of land &c. Omitted)
 June 18th 1819

North Boundary

East On S. boundary of Sec. 31, Mt. Pleasant
 24.55 a Beech 24 m. dist.
 38.50 Set of Sec. post, from which
 a Hickory 20 m. dist. bear N 15 W 32 l. h. dist. of
 a Beech 20 " " " N 15 E 30 " "
 64.50 a Brook 6 l. h. wide Comse S. E.
 70.00 a do 15 " " " S. E.
 71.00 a Creek 60 l. h. " " S.
 78.50 Set post Cor. to Sec. 31 & 32, from which
 a do. 5 m. dist. bear 25 E 7 l. h. dist. of
 a do. 6 " " " N 40 E 18 " "
 Level rich land, timber Beech, hickory
 Ash &c. undag^d. Spruce hawpaw &c.

East On S. boundary of Sec. 32, Mt. Pleasant
 2.11 a Beech 24 m. dist.
 35.30 on E. l. h. 36 " "
 37.00 a Branch 20 l. h. wide Comse -
 40.00 Set of Sec. post, from which
 a Beech 14 m. dist. bear N 47 E 17 l. h. dist. of

136

T10 N. R10 E, 2^d. Mer. IndianaCh. 2^d 1/2a Sugar 8 mi. dist. bray N 84 W 20 lth. dist. of
59.00 at Branch 8 lth. wide Course S. W.

64.00 a Do. 5 " " " S. W.

80.00 Let post Cor. to Sec. 32 & 33 from which
a Sugar 8 mi. dist. bray S 34 W 22 lth. dist.
at Beech 15 " " " N 84 E 25 " "
Land timber &c. Same as on last mile

East On S. boundary of Sec. 33, T10 N. R10 E

23.70 an Ash 18 mi. dist.

27.00 at Branch 6 lth. wide Course S. W.

40.00 Let q. Sec. post, from which

a Sugar — mi. dist. bray S 54 W 34 lth. dist. of
an Ash 18 " " " N 26 E 35 " "

53.80 at Branch 6 lth. wide Course S. W.

56.33 at Beech 40 mi. dist.

70.00 at Branch 5 lth. wide Course S. W.

80.00 Let post Cor. to Sec. 33 & 34 from which
at Beech 12 mi. dist. bray S 74 E 23 lth. dist. of
a Do. 10 " " " N 75 W 18 " "
Land timber &c. Same as on last mile

East On S. boundary of Sec. 34, T10 N. R10 E.

29.05 at Beech 10 mi. dist.

40.00 Let q. Sec. post, from which

a Sugar 5 mi. dist. bray S 59 W 3 lth. dist. of
at Beech 9 " " " S 59 E 26 " "

57.00 at Branch 5 lth. wide Course S. W.

70.00 a Do. 5 " " " S. W.

80.00 Let post Cor. to Sec. 34 & 35 from which
at Beech 12 mi. dist. bray S 83 E 18 lth. dist. of
a Do. 8 " " " N 42 W 25 " "
Land timber &c. Same as on last mile

East On S. boundary of Sec. 35, T10 N. R10 E

22.50 at Branch 8 lth. wide Course S. W.

137

T.M. N.W.E. 2nd Mer. Indiana

38.00 at Branch 12th wide Course S.W.
 40.00 at gr. Sec. post, from which
 a Cherry 10 m. dia. brang N 81 E 15th dist. of
 a Beech 6 " " " 189 W 19 " "
 51.61 an Ash 24 " "
 80.00 at post Cor. to Sec. 35 & 36, from which
 a Beech 15 m. dia. brang N 81 W 13th dist. of
 a Do. 6 " " " N 43 E 12 " "
 Level 2nd rate, timber Beech, Poplar, Oak,
 Ash &c. undr. 1st Spruce

East On S. boundary of Sec. 36, T.M. N.W.E.

12.00 at Beech 18 m. dia.
 21.50 a Branch 4th wide Course N.E.
 34.00 a Do. 3 " " " N.
 40.00 at gr. Sec. post, from which
 a Beech 8 m. dia. brang N 20 W 21th dist. of
 a Do. 18 " " " N 20 E 17 " "
 57.50 a Creek 40th wide Course S.E.
 75.00 a Branch —th wide " S.W.
 80.00 Intersected Town Corner
 Broken land, timber Beech, Oak, Gum, Poplar &c

West Boundary var E. 45° E

North On E. boundary of Sec. 36, T.M. N.W.E.

1.22 a Sugar 20 m. dia.
 6.00 at Branch 4th wide Course S.W.
 10.00 — Same 4 " " " S.E.
 40.00 at gr. Sec. post, from which
 a Beech 12 m. dia. brang N 33 W 8th dist. of
 a Do. 30 " " " N 13 E 30 " "
 47.00 a Branch 6th wide Course S.W.
 52.00 — Same 6 " " " S.E.
 61.11 a Poplar 24 m. dia.
 80.00 at post Cor. to Sec. 35 & 36 from which
 a Beech 12 m. dia. brang N 35 W 8th dist. of

T10 N R10 E, 2^d. Mer. Indiana Ch. 1st

a Sugar 30 m. dia; bray N 70 E 23rd Ch. dist. of
 Colling 1st rate land, timber Blue ash,
 Walnut, Sugar, Syc, Beech &c. undngth
 Spruce & Pawpaw

North On E. boundary of Sec. 25, T10 N R9 E.
 11.75 at Beech 26 m. dia;

20.00 at Branch 4th wide Corns S. W.

28.50 a do 4 " " " S. W.

32.50 a do " " " " S. W.

40.00 at post, Sec. post, from which

a Beech 30 m. dia; bray N 44 W 13th Ch. dist. of

a Sugar 14 " " " " N 40 E 13 " "

48.93 a Sugar 36 " " "

58.50 at Branch 4th wide Corns S. W.

64.50 a Creek 25 " " " S. W.

80.00 at post Cor. to Sec. 24 & 25, from which

a Beech 8 m. dia; bray S 27 W 28th Ch. dist. of

a do, 30 " " " " S 68 E 37 " "

Broken 1st rate, timber, Sugar, Beech,
 Walnut, Hackberry &c. undngth Spruce and
 Pawpaw

North On E. boundary of Sec. 24, T10 N R9 E

23.00 at Branch 4th wide Corns S. W.

29.00 at Beech 18 m. dia;

39.50 a Branch 18th wide C. S. W.

40.00 at post, Sec. post, from which (in edge of brook)

a Sugar 10 m. dia; bray N 64 W 27th Ch. dist. of

a Beech 10 " " " " N 69 E 42 " "

52.50 a do 24 " " "

57.50 at Branch 6th wide Corns S. W.

63.50 a do, 4 " " " S. W.

78.00 a do, 4 " " " S. W.

80.00 at post Cor. to Sec. 13 & 24, from which

a Sugar 12 m. dia; bray S 56 E 9th Ch. dist. of

W. St. R. W. Co. 2nd Mer. Indiana 139

ch. 1st 1/2

a Beech 10 mi. dist. from S 56 E 9 1/2 mi. dist.
 First 1/2 mile level 1st rate land - last 1/2 broken
 2nd rate, timber Sugar, Beech, Poplar, Walnut
 &c. underg^d Spruce &c.

North On Co. boundary of Sec. 12, W. St. R. 9 E
 2.86 a Poplar 3 1/2 mi. dist.
 11.00 a Branch 4 1/2 mi. wide Course S. W.
 22.00 a Do. 4 " " " S. W.
 26.50 a Do. 4 " " " S. W.
 35.50 Same 4 " " " S. E.
 37.00 Same 4 " " " S. W.
 40.00 Set g^r. Sec. post, from which
 a Beech 15 mi. dist. from S 28 W 19 1/2 mi. dist.
 a Do. 8 " " " S 28 E 8 " "
 55.55 a Branch 10 1/2 mi. wide Course S. W.
 76.36 a Poplar 24 mi. dist.
 80.00 Set post cor. to Sec. 12 & 13, from which
 a Walnut 6 mi. dist. from S 61 W 14 1/2 mi. dist.
 a Beech 15 " " " S 12 E 39 " "
 Level land good soil, timber Beech, Poplar
 Walnut, Sugar &c. underg^d Spruce & Pampaw

North On Co. boundary of Sec. 12, W. St. R. 9 E.
 32.34 a Beech 15 mi. dist.
 38.00 a Branch 6 1/2 mi. wide Course S. W.
 40.00 Set g^r. Sec. post, from which
 a Beech 10 mi. dist. from S 89 E 24 1/2 mi. dist.
 a Do. 12 " " " S 72 W 8 " "
 52.47 a Poplar 24 " "
 70.00 a Branch 10 1/2 mi. wide Course W.
 78.00 a Beech 20 mi. dist.
 80.00 Set post cor. to Sec. 12 & 13, from which
 a Beech 14 mi. dist. from S 44 E 24 1/2 mi. dist.
 a Do. 15 " " " S 85 W 13 " "
 Level 1st rate Beech, Sugar, Walnut &c. Spruce & Pampaw.

140

T.M. N.E. 2nd Mer. Indianach²ly

North On E. boundary of Sec. 1, T.M. N.E.

10.50 a Creek 75th wide corner S.W

29.60 a Mulberry 18 in. dia.

40.00 Set of Sec. post, from which

a ~~3~~ 12 in. dia. bay N 2 E 14th dist. of

a Beech 10 " " " N 13 W 14 " "

61.89 a do 24 " "

80.00 Set post Cor. to Township 10 N North

Range 9 of 10 East, from which

a Beech 75 in. dia. bay S 68 E 15th dist. of

an Ash 10 " " " N 12 W 6 " "

(Description of Land &c. omitted)

June 17th 1879 John McDonald, U.S.

Subdivision

North Between Sec. 35 & 36

3.86 a Beech 9 in. dia. bay

40.00 Set of Sec. post, from which

a W. Oak 10 in. dia. bay N 67 E 12th dist. of

a Beech 10 " " " N 47 W 32 " "

49.92 a S. Gum 4 " "

80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which

a Beech 15 in. dia. bay S 50 E 8th dist. of

a do. 20 " " " N 80 W 29 " "

First 1/2 mile level 2nd rate last 1/2 mile same
Small timber Beech (Maple & Gum, in skin
ing to be wet land)East On Land 9th between Sec. 25 & 36

40.00 Set temp. gr. Sec. post

80.50 Intersected the N & S line 104th S. of post
Land level rich, timber Beech & Poplar

West Corrected between Sec. 25 & 36

40.25 Set of Sec. post, at average dist. from which

a Beech 15 in. dia. bay S 30 E 10th dist. of

141

T.M. R.C.E. 2^d. Mer. Indiana

ch²ly

a Beech 10 m. dia. brang N 71° 28' E 1/2 S 1/2 E
80.50 to Sec. Corner. July 18th 1819

North Between Secs. 25 & 26

25.00 a Beech 5 m. dia.

40.00 Set q. Sec. post, from which

a Beech 10 m. dia. brang 456° E 33' N 1/2 E

a Do. 15 " " " N 73° 11' 40 " "

65.41 a Stream 15 ft. wide Combs S. W.

68.25 an Ash 20 m. dia.

80.00 Set post Cor. to Secs. 23, 24, 25 & 26 from which

a Poplar 12 m. dia. brang S 62° 11' 24' E 1/2 S

a Beech 6 " " " S 62° E 34 " "

First 1/2 mile level - last 1/2 rolling 2^d rate

Beech & Poplar, undergth Spruce

East On Land^m between Secs. 24 & 25

35.52 a Stream 10 ft. wide Combs S.

40.00 Set temp. q. Sec. post

80.37 Intersected E. boundary 1.62 m. S. of post

Land level quick, timber Beech and Poplar
undergth Spruce.

West Corrected between Secs. 24 & 25

40.18 Set q. Sec. post at average dist. from which

a Beech 12 m. dia. brang South 22' E 1/2 S

a Do - " " " N 40° 11' 22 " "

80.37 to Section Corner

North Between Secs. 23 & 24

14.50 a Beech 6 m. dia.

40.00 Set q. Sec. post, from which

a Beech 8 m. dia. brang N 60° E 19' N 1/2 E

a N. Oak 48 " " " S 22° 11' 42 " "

55.00 a Beech 5 " "

68.92 a run 20 ft. wide Combs S. W.

142

Mt. P. W. E. 2nd Mer. Indiana

ch. lky

80.00 At post Cor. to Sec. 13, 14, 23 & 24, from which
 a Beech 6 in. dia. bray N 70 E 5th dist. of
 an Ash 15 " " " S 70 W 34 " "
 First 1st rate, last 1st rate, Beech
 Poplar, Ash &c. undergth Spruce

East On Rand^m between Sec. 13 & 24.2.04 a Brook 20th wide C. S. E.40.00 At temp^y gr. Sec. post

80.42 Intersected E. boundary of Sec. 14, 5th S. of post
 Sand level, inclining to wet, timber Poplar
 Beech & Gum, undergth Spruce

West Corrected between Sec. 13 & 24

40.21 At gr. Sec. post at average dist. from which
 a Beech 4 in. dia. bray N 69 W 7th dist. of
 a Do. 14 " " " S 56 E 3 " "

80.40 to Sec. Corner.

North Between Sec. 13 & 14

24.05 a Beech 20 in. dia.

40.00 At gr. Sec. post, from which

a Beech 7 in. dia. bray N 42 W 31th dist. of
 a Hickory 24 " " " S 52 E 28 " "

58.05 a Beech 9 " "

80.00 At post Cor. to Sec. 11, 12, 13 & 14, from which
 a Maple 5 in. dia. bray S 57 E 36th dist. of
 a Gum 15 " " " N 74 W 36 " "
 Sand 1st rate, timber Beech, Hickory
 Maple &c. undergth Spruce

East On Rand^m between Sec. 12 & 1340.00 At temp^y gr. Sec. post39.50 a Brook 12th wide Combs S.

80.07 Intersected E. boundary 10th S. of post
 Level rich land Beech, W. Oak, Poplar & Spruce

143

TOWN R 10 E. 2nd Mer. Indiana

ch. 2nd 1/4

West Connected between Sec. 12 & 13

40.03¹/₂ let gr. Sec. post at average dist. from which
a Beech 24 m. dist. by N 24 E 15 lks. dist. of
a Do. 15 " " " N 28 E 27 " "

80.07 to Sec. Corner. July 19th 1819

North Between Sec. 11 & 12

13.50 an Ash 24 m. dist. by

40.00 let gr. Sec. post, from which
a Beech 10 m. dist. by S 84 W 22 lks. dist. of
a Do. 7 " " " N 53 E 24 " "

73.50 a Hickory 15 " "

80.00 let post Cor. to Sec. 1, 2, 11 & 12, from which
a Beech 24 m. dist. by N 43 W 24 lks. dist. of
a Coffeenut 36 " " " North 54 " "
Level 2nd rate land, 1st 1/2 mile inclining to wit
Poplar, Beech, Coffeenut &c. under Spruce & Rowspan

East On Rand^m. between Sec. 1 & 12

28.75 a Brook 7 lks. wide. Course S.E.

40.00 let temp. gr. Sec. post

60.77 a Brook 10 lks. wide Course S.E.

81.00 intersected E. boundary 123 lks. S. of post
Land level quick, timber Beech, Sugar, Poplar
Ash &c., winding to Spruce

West Connected between Sec. 1 & 12

40.50 let gr. Sec. post at average dist. from which
a Sugar 15 m. dist. by S 11 E 22 lks. dist. of
a Beech 30 " " " N 26 E 13 " "

81.00 to Sec. Corner

North Between Sec. 1 & 2

38.00 a Sugar 18 m. dist.

40.00 let gr. Sec. post from which

a Sugar 7 m. dist. by S 63 W 32 lks. dist.

144

St. N. W. E. 2nd Mer. Indiana

ch. l. m.
 at Beech 15 mi. dist. from N 52 E 36 l. m. dist. of
 50.54 a Sugar 18 "
 83.00 Intersected N. boundary 225 l. m. W. of post
 Set post Cor. to Sec. 1 & 2, from which
 a Beech 6 mi. dist. from N 23 W 23 l. m. dist. of
 a Hickory 15 " " " S 41 E 27 "
 Sand level 2nd rate, Oak, Beech, Poplar, ash
 &c. undergth. Spruce.

North Between Sec. 34 & 35

3.80 a stream 60 l. m. wide Course S. 50 W
 22.50 a Beech 16 mi. dist.
 40.00 Set q. Sec. post, from which
 a Sugar 27 mi. dist. from S 27 E 27 l. m. dist. of
 a Beech 10 " " " S 26 W 25 "
 44.82 a stream 50 l. m. wide Course S. E.
 63.82 a Beech 12 mi. dist.
 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
 an Ash 36 mi. dist. from N 39 W 24 l. m. dist. of
 a Beech 15 " " " S 39 E 16 "
 Sand timber &c. same as on last mile

East On Road between Sec. 26 & 35

40.00 Set temp. q. Sec. post
 80.00 Intersected the N. & S. line 100 l. m. N. of post
 Sand level & rich, Sugar, Poplar, Beech
 undergth. Spruce

West Connected between Sec. 26 & 35

40.00 Set q. Sec. post at average dist. from which
 a Beech 12 mi. dist. from N 56 W 17 l. m. dist. of
 a Do. 6 " " " S 56 E 9 "
 80.00 to Sec. Corner

North Between Sec. 26 & 27

37.67 a Beech 16 mi. dist.

145

S 10 N. R 10 E. 2^d. Mer. Indiana

ch. P. 1st
 40.00 Set q^r. Sec. post from which
 a Beech 7 in. diam. bran N 63 E 8 1/2 m. dist. of
 a do 12 " " " S 54 W 9 " "
 58.90 a Beech 24 " "
 80.00 Set post Cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 18 in. diam. bran S 37 W 48 1/2 m. dist. of
 a Poplar 24 " " " N 37 E 18 " "
 Sand level 2^d rate, Poplar, Beech, Sugar
 Aichory, Elm, undergrd, Spruce &c

East On Rand^m. between Sec. 23 & 26
 27.26 a stream 12 m. wide Course S.
 40.00 Set temp^y. q^r. Sec. post
 52.50 a stream 25 m. wide, Course S.
 80.00 Intersected, East boundary 38 m. S. of post
 Sand level 1st 1/2 mile inclining to wet, Beech
 Elm, Poplar, undergrd. Spruce

West Corrected between Sec. 23 & 26
 40.00 Set q^r. Sec. post at average dist. from which
 a Beech 36 in. diam. bran N 50 W 33 1/2 m. dist. of
 a do. 15 " " " S 36 E 22 " "
 80.00 to Sec. Corner

North Between Sec. 23 & 22
 34.88 a stream 8 m. wide Course S.
 38.38 a Beech 8 in. diam.
 40.00 Set q^r. Sec. post, from which
 a Beech 24 in. diam. bran N 34 E 16 1/2 m. dist. of
 a do 12 " " " S 51 W 30 " "
 67.98 a Aichory 19 " "
 80.00 Set post Cor. to Sec. 14, 15, 22 & 23, from which
 a Beech 15 in. diam. bran N 28 W 18 1/2 m. dist. of
 a do. 9 " " " S 19 E 07 " "
 Sand level inclining to wet 2^d rate, Beech,
 Poplar, Sugar, Aichory, undergrd. Spruce &c

146

S 10 N - R 10 E, 2nd Mer. Indiana

N. 1/2 Sec.

East On Rand^m. between Sec. 14 & 2340.00 Set tempy. q^r. Sec. post80.50 Intersected the N & S line 40 km. S. of post
Land level 2nd rate, Ash, Elm, W. Oak
Beech, underg^d. Spruce

West Connected between 14 & 23

40.25 Set q^r. Sec. post at average dist. from which
a Gum 24 m. dist. from S 61 E 1/2 km. dist. of
a Hickory 15 " " N 65 W 13 " "

80.50 to Sec. Corner.

North Between Sec. 14 & 15

12.46 a Poplar 36 m. dist.

12.50 a Stream 10 km. (wide) E. S. W.

29.50 a Do 12 " " S. W.

40.00 Set q^r. Sec. post, from which
an Ash 24 m. dist. from S 50 W 26 km. dist. of
a Beech 7 " " N 74 E 26 " "

65.06 a Do 9 " "

80.00 Set post Cor. to Sec. 10, 11, 14 & 15, from which
a Poplar 48 m. dist. from S 57 W 19 km. dist. of
a Beech 9 " " N 79 E 14 " "
Land level 2nd rate, inclining to west, timber
Poplar, Beech, W. Oak, underg^d. Spruce.East On Rand^m. between Sec. 11 & 14

30.94 a Stream 10 km. (wide) Course South

40.00 Set tempy. q^r. Sec. post81.12 Intersected the N & S line 30 km. S. of post
Land timber &c. same as on last rule

West Connected between Sec. 11 & 14

40.56 Set q^r. Sec. post at average dist. from which
a Beech 12 m. dist. from N 36 E 8 km. dist. of
a Do. 5 " " South 20 " "

West N 10 E. 2^d Mer. Indiana 147
ch. l. l. l.
81.12 to Sec. Corner.

North Between Sec. 10 & 11

7.61 a Beech 13 mi. dist.
40.00 Set of Sec. post, from which
a Beech 27 mi. dist. from N 69 E 40 mi. dist. of
a Do. 10 " " " N 86 W 36 " "
57.94 a Stream 16 mi. wide Comae S. W.
67.42 a Beech 8 mi. dist.
80.00 Set post Cor. to Sec. 2, 3, 10 & 11, a Beech 8
mi. diam. stand for post, from which
a Sugar 15 mi. dist. from N 32 W 21 mi. dist. of
a Do. 12 " " " N 35 E 17 " "
First level of water last broken of water
Beech, Oak, Sugar, &c. under 7th Office

East On Randm. between Sec. 2 & 11

40.00 Set temp. of Sec. post
80.57 Intersected the N. & S. line 38 mi. S. of post
and Broken of water, timber Oak, Oak, Sugar

West Connected between Sec. 2 & 11

40.28 Set of Sec. post at average dist. from which
a Beech 15 mi. dist. from N 8 W 10 mi. dist. of
a Do. 8 " " " N 12 E 39 " "
80.57 to Sec. Corner.

North Between Sec. 2 & 3

3.92 a Stream 22 mi. wide Comae S. W.
40.00 Set of Sec. post, from which
a Beech 14 mi. dist. from N 83 E 41 mi. dist. of
a Do. 14 " " " N 76 W 14 " "
82.89 Intersected the N. boundary 24 3/4 mi. N. of post
Set post Cor. to Sec. 2 & 3, from which
a Beech 10 mi. dist. from N 50 E 17 mi. dist. of
a Poplar 5 " " " N 86 W 5 " "

St. N. R. W. E. 2nd Mer. Indiana

ch. 1st

Broken 2nd rate, Beech & Sugar, and 2nd price

North Between Sec. 33 & 34

7.40 at Beech 8 mi. dist.

40.00 at 1st of Sec. post, from which
a Pop. Ash 34 mi. dist. (bray N 71 E 27 km. dist. of
a Gum 34 " " " 346 W 20 " "

59.30 at Beech 7 " "

80.00 at post Cor. to Sec. 27, 28, 33 & 34, from which
at Beech 8 mi. dist. (bray N 77 E 24 km. dist. of
a Gum 7 " " " 85 W 25 " "

Land level & inclining to west 2nd rate, timber
S. Gum, Beech, Hick. W. Oak, and 2nd price

East On Land, between Sec. 27 & 34

40.00 at 1st of Sec. post

79.00 intersected the N & S. line at the post
Land timber &c. same as on the last mile

West Connected between Sec. 27 & 34

39.50 at 1st of Sec. post, at average dist. from which
at Beech 9 mi. dist. (bray N 46 E 19 km. dist. of
a Do. 6 " " " 45 W 8 " "

79.00 to Sec. Corner.

North Between Sec. 27 & 28

40.00 at 1st of Sec. post, from which

at Beech 18 mi. dist. (bray N 71 E 11 km. dist. of
a Do. 12 " " " 83 W 29 " "

41.00 a Stream 17 km. wide Corner.

53.39 at Beech 36 mi. dist.

80.00 at post Cor. to Sec. 21, 22, 27 & 28, at Beech
Sapling 2 mi. dist. stand for post

a Poplar 30 mi. dist. (bray N 82 E 25 km. dist. of
at Beech 15 " " " 85 W 16 " "

Broken 2nd rate, Beech, Poplar, Oak, and 2nd price

N. N. R. 10 E. 2^d Mer. Indiana

149

chth

East On Rand^m between Sec. 1, 22 of 27

30.60 a stream 18th, wide Cr. S. W.

40.00 Set temp^y. gr. Sec. post

68.00 a stream 10th, wide Course S. W.

79.25 Intersected the N of S. line 163th, N. of post
Broken 2^d rate land, Beech, Poplar, Oak, Sugar,
undergth Spruce.

West Corrected between Sec. 1, 22 of 27

39.62 Set gr. Sec. post at average dist. from which
a Beech 13 mi. dist. from, N 71 E 12th, dist. of
a do. 8 " " " N 75 W 10 " "

79.25 to Sec. Corner.

North Between Sec. 1, 21 of 22

19.60 a Beech 24 mi. dist.

40.00 Set gr. Sec. post, from which
a Beech 12 mi. dist. from, N 47 E 12th, dist. of
a do. 6 " " " N 50 W 8 " "

55.80 a stream 40th, wide Course S. W.

66.00 a Beech 18 mi. dist.

80.00 Set post Cor. to Sec. 1, 15, 16, 21 of 22, from which
a Beech 6 mi. dist. from, N 73 E 28th, dist. of
a Sugar 7 " " " N 82 W 9 " "

Land Broken up with deep hollows 3^d rate
timber Beech, Oak, Ash, Sugar, undergth Spruce

East On Rand^m between Sec. 1, 15 of 22

18.00 a stream 10th, wide Course S. W.

40.00 Set temp^y. gr. Sec. post

68.50 a stream 20th, wide Course S. W.

79.85 Intersected N of S. line 355th, N. of post

First 1/2 mile level 2^d for rolling 2^d rate,
timber Beech, Poplar, Sugar & undergth Spruce

West Corrected between Sec. 1, 15 of 22

Mt N E. 2^d Mer. Indiana

ch. lly
 39.92 Let gr. Sec. post at average dist. from which
 at Beech 20 mi. dist. by N 82° W 18 lly. dist. of
 a do. 10 " " " N 77° E 17 " "
 79.85 to Sec. Corner.

North Between Sec. 15 & 16,

5.06 at Beech 18 mi. dist.
 40.00 Let gr. Sec. post, from which
 at Beech 6 mi. dist. by N 16° E 4 lly. dist. of
 a Sugar " " " N 68° W 3 " "
 76.50 a do. 16 " "
 80.00 Let post Cor. to Sec. 9, 10, 15 & 16, from which
 at Beech 4 mi. dist. by N 22° W 21 lly. dist. of
 a do. 8 " " " N 50° E 25 " "
 Broken with deep hollow 2^d rate, timber
 Beech, Poplar, Sugar, Ash &c. underg. Spruce

East On Cand^m, between Sec. 10 & 15

39.04 a stream 30 lly. wide Comae S.
 40.00 Let tump^y. gr. Sec. post
 80.14 Interdicted the N of S. line 43 3/4 lly. N. of post
 Sand hilly 2^d rate, timber Poplar, Ash, Spruce

West Connected between Sec. 10 & 15

40.07 Let gr. Sec. post at average dist. from which
 a R. Oak 24 mi. dist. by North 5 lly. dist. of
 a Beech 8 " " " South 37 " "
 80.14 to Sec. Corner.

North Between Sec. 9 & 10,

19.57 a stream 9 lly. wide Comae S.
 33.80 at Beech 6 mi. dist.
 40.00 Let gr. Sec. post, from which
 an Ash 15 mi. dist. by N 12° W 24 lly. dist. of
 a Beech 8 " " " N 17° E 15 " "
 63.50 a stream 8 lly. wide Comae S. E.

SW NE 2^d. Mer. Indiana 151

Chalk

75.03 a Beech 17th diam.

80.00 Set post Cor. to Sec. 3, 4, 9 & 10, from which
a Beech 6 in. dia. bran N 27 E 33th dist. of
a Do. 6 " " " N 9 W 8 " "
Land level 1st rate, Beech, Poplar, Sugar &c
undergth Spruce

East On Land ^{2^d} between Sec. 3 & 10

24.22 a stream 16th wide Course S. W.

30.04 a Do. 10 " " " South

40.00 Set temp. of Sec post

68.00 a stream 4th wide Course S. E.

76.25 a Do. 22 " " " S. W.

80.00 intersected the N of S. line 290th N. of post
First 1/2 mile level - last 1/2 broken 2^d rate
timber Beech, Ash, Poplar, undergth Spruce

West Corrected between Sec. 3 & 10

40.00 Set of Sec. post, from which
a Beech 6 in. dia. bran N 54 W 24th dist. of
a Poplar 36 " " " N 35 E 32 " "
80.00 to Sec. Corner

North Between Sec. 3 & 4

13.00 a Beech 15 in. dia.

14.00 Set of Sec. post, from which
a Sugar 16 in. dia. bran N 54 E 28th dist. of
a Do. 12 " " " N 69 W 37 " "

78.80 Intersected the N. Boundary 381th N. of post
Set post Cor. to Sec. 3 & 4, from which
a Beech 15 in. dia. bran N 69 W 26th dist. of
a Do. 5 " " " N 74 E 20 " "
Land level 1st rate part rolling, timber Beech
Poplar, Sugar &c. undergth Spruce

North Between Sec. 32 & 33

152/ Mt. N 10 E 2nd Mer. Indiana

- ch. 2nd M.
 14.00 a Stream 12th m. wide Comae N.
 24.00 a W. Oak 24 in. diam.
 34.20 a Stream 5th m. wide Comae N.W.
 40.00 Set q. Sec. post, from which
 a W. Oak 48 in. diam. bray N 57 E 23th m. dist. of
 a Do. 48 " " " N 45 W 21 " "
 45.50 a Stream 18th m. wide Comae S.W.
 57.80 a Poplar 48 in. diam.
 80.00 Set post Cor. to Sect. 28, 29, 32 & 33, from which
 a Beech 12 in. diam. bray N 51 W 6th m. dist. of
 a Do. 8 " " " N 76 E 9 " "
 Land level inclining to wet 2nd rate, timber
 Beech, Poplar, W. Oak, sundry^m, Spruce

East On Land^m. between Sect. 28 & 33

- 40.00 Set temp. q. Sec. post
 80.56 Intersected the N & S. line at the post
 Land timber &c. same as on last mile

West Connected between Sect. 28 & 33

- 40.28 Set q. Sec. post at average dist. from which
 a Beech 15 in. diam. bray N 30 E 7th m. dist. of
 a Do. 5 " " " N 57 W 13 " "
 80.56 to Sec. Corner July 26th. 1819

North Between Sect. 28 & 29

- 30.25 a Stream 25th m. wide Comae S.W.
 40.00 Set q. Sec. post, from which
 a Beech 20 in. diam. bray N 49 E 19th m. dist. of
 a Do. 24 " " " N 24 W 38 " "
 55.46 a Beech 9 " "
 68.15 a Stream 10th m. wide Comae S.W.
 80.00 Set post Cor. to Sect. 20, 21, 28 & 29, from which
 a Beech 4 in. diam. bray N 78 W 8th m. dist. of
 a Do. 18 " " " N 60 E 16 " "
 First 1/2 mile level - last 1/2 mile broken 2nd rate

W. N. R. W. E. D. Mer. Indiana ¹⁵³
Ch. 2. 1/2 mi. Beech, Poplar, Sugar, and g^r. Spruce

East On Rand^m. between Sec. 21 & 28
21.00 a Stream 2 1/2 mi. wide Cr. S.
40.00 At temp^y. g^r. Sec. post
80.00 Intersected the N & S. line 2 1/2 mi. S. of post
Land level last 1/2 mi. inclining to west 2^d rate
Beech, Sugar, Poplar &c. and g^r. Spruce

West Corrected between Sec. 21 & 28
40.00 At g^r. Sec. post at average dist. from which
a Beech 8 mi. dist. by way N 54 E 25 mi. dist. of
a Do. 12 " " " N 67 W 37 " "
80.00 to Sec. Corner

North Between Sec. 20 & 21,
3.86 a Stream 50 mi. wide Course S.
5.43 a Sycamore 13 mi. dist.
40.00 At g^r. Sec. post, from which
a Sugar 15 mi. dist. by way N 41 W 22 mi. dist. of
a Beech 13 " " " N 11 W 5 " "
70.63 a Do 19 " "
80.00 At post Cor. to Sec. 16, 17, 20 & 21, from which
a Poplar 30 mi. dist. by way N 75 W 8 mi. dist. of
a Sugar 12 " " " S 28 E 10 " "
Land broken 2^d rate, Cliffs on the water course,
Beech, Poplar, Sugar, and g^r. Spruce

East On Rand^m. between Sec. 16 & 21
40.00 At temp^y. g^r. Sec. post
79.70 Intersected N & S. line 50 mi. S. of post
Land timber &c. same as on last mile

West Corrected between Sec. 16 & 21
39.85 At g^r. Sec. post, at average dist. from which
a Beech 36 mi. dist. by way South 10 mi. dist.

154

SW. N.W.E. 2nd Mer. Indiana

ch. lth.

a Beech 4 mi. dist. bearing N 55° W 14 lth. dist
79.70 to Sec. Corner

North Between Sec. 16 & 17

3.14 a stream 14 lth. wide course S.W.

40.00 Set of Sec. post, from which
an Ash 24 mi. dist. bearing N 57° E 26 lth. dist. &
a Beech 30 " " " N 66° W 35 " "

113.25 a stream 8 lth. wide course S.W.

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
an Ash 15 mi. dist. bearing N 70° E 31 lth. dist. &
a Beech 5 " " " N 66° W 27 " "

First 1/2 mile broken 2nd rate, last 1/2 mile 1st rate
timber Beech, Poplar, Sugar, Ash, and g.th Spruce

East On Rand. m. between Sec. 9 & 16

40.00 Set temp. of Sec. post

79.50 Intersected the N. & S. line 55 lth. S. of post
Sand rolling 1st rate, timber Beech, Poplar
Sugar, and g.th Spruce

West Connected between Sec. 9 & 16

39.75 Set of Sec. post at average dist. from which
a Beech 5 mi. dist. bearing N 67° E 20 lth. dist. &
an Ash 10 " " " N 75° W 30 " "

79.50 to Sec. Corner

North Between Sec. 8 & 9

26.85 an Ash 18 mi. dist.

40.00 Set of Sec. post, from which
a Beech 10 mi. dist. bearing N 88° E 4 lth. dist. &
an Ash 24 " " " N 76° W 14 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which
a Beech 9 mi. dist. bearing N 57° E 25 lth. dist. &
a Do. 8 " " " N 76° W 27 " "
Sand level 1st rate, Beech, Poplar, ash &c.

West N.W. Co. Ind. Mer. Indiana 155
Ch. 11th
undergth Spruce part fallen timber

East Ont Land^m between Sec. P. 4 & 9
40.00 At temp^y q^r. Sec. post
65.30 a stream 12 lths. wide Course S.E.
80.04 Intersected the N & S. line 133 lths. N. of post
Sand timber &c same as on last mile

West Connected between Sec. P. 4 & 9
40.02 At q^r. Sec. post at average dist. from (which
a Hickory 15 in. diam. bear N 30 W 13 lths. dist. of
an Ash 13 " " " S 30 E 18 " "
80.04 to Sec. Corner. July 27th. 1819

North Between Sec. P. 4 & 5
13.00 a Walnut 36 in. diam.
34.90 a stream 5 lths. wide C. & W.
40.00 At q^r. Sec. post, from which
a Beech 4 in. diam. bear S 4 E 22 lths. dist. of
a Do. 18 " " " N 9 W 12 " "
47.98 a Sugar 8 " " " " " " " " " "
57.25 a stream 5 lths. wide Course West
77.48 Intersected N. boundary 460 lths. N. of post
At post cor. to Sec. P. 4 & 5, from which
a Beech 8 in. diam. stand for corner
a Do. 18 " " " bear N 11 E 27 lths. dist. of
a Poplar 4.8 " " " S 2 E 28 " "
Land rolling 1st rate, timber Beech, Poplar,
Sugar, &c undergth Spruce & prairie

North Between Sec. P. 31 & 32
1.50 a Spring Course North
13.38 a Creek 50 lths. wide Course W.
23.72 a Beech 28 in. diam.
40.00 At q^r. Sec. post, from which
a Beech 6 in. diam. bear N 40 E 2 lths. dist. of

156

10 N. N. W. E. 2nd Mer. Ind.^a
ch²ly

at Beech 14 mi. dist. by N 75 W 32 ch. dist. of
52.00 a do 8 " " in the line
80.00 at post Cor. to Sec. 29, 30, 31 & 32, from which
at Beech 8 mi. dist. by N 60 E 31 ch. dist. of
a do. 13 " " " N 39 W 5 " "
Land broken 2nd rate, Beech, Sugar, Poplar
undergth Spruce

East On Land^m between Sec. 29 & 32
23.06 a stream 50 ch. wide cr. South
40.00 at temp. of Sec. post
79.28 intersected the N & S line 21 ch. N. of post
First 1/2 mile same - last 1/2 mile inclining to
west 2nd rate Beech, Poplar, undergth Spruce

West Corrected between Sec. 29 & 32
39.64 at gr. Sec. post, at average dist. from which
at Beech 20 mi. dist. by N 15 E 11 ch. dist. of
a do. 40 " " " N 60 E 23 " "
79.28 to Section Corner

West Between Sec. 30 & 31
20.93 at Beech 15 mi. dist.
38.75 a stream 5 ch. wide cr. S.
40.00 at gr. Sec. post, from which
at Beech 6 mi. dist. by S 65 W 17 ch. dist. of
a do. 13 " " " N 69 E 8 " "
63.56 at Beech 26 " "
75.50 intersected N. boundary 16 ch. N. of post
at post Cor. to Sec. 30 & 31, from which
a Spruce 15 mi. dist. by S 85 W 50 ch. dist. of
a Beech 8 " " " N 51 E 37 " "
Land rolling 1st rate, timber Beech, Sugar,
Walnut, undergth Spruce

North Between Sec. 29 & 30

West R10 E. 2nd Mer. Ind. 157

ch. lth

33.07 a Sugar 11 in. diam.

36.07 a Stream 6 lth, wide Course S. E.

40.00 at gr. See. post, from which
a Sugar 18 in. diam. bear N 65 W 22 lth. dist. of
a Beech 6 " " " N 71 E 20 " "

71.37 a Poplar 60 " "

80.00 at post Cor. to Sec. 19, 20, 29 & 30, from which
a Beech 10 in. diam. bear S 23 W 15 lth. dist. of

as do. " " " N 12 E 11 " "

First 1/2 mile hill, 2nd rate - last 1/2 rolling
1st rate, Beech, Sugar, Sugar, Poplar &c.
under 1st Spruce &c.

East Outland^m, between Sec. 20 & 29

40.00 at temp. gr. See. post

57.35 a Stream 7 lth, wide Course S. E.

76.00 a do 50 lth. " " South

79.84 Intersected the N. of S. line 78 lth. N. of post
Land rolling 2nd rate, timber Beech, Sugar,
Poplar, Ash, Spruce

West Cor. between Sec. 20 & 29

39.92 at gr. See. post at average dist. from which
a Spruce 18 in. diam. bear N 86 W 12 lth. dist. of
a Beech 10 " " " N 43 E 32 " "

79.84 to See. Corner

West Between Sec. 19 & 30

17.70 a Beech 8 in. diam.

28.20 a Stream 6 lth, wide Course N. W.

40.00 at gr. See. post, from which

a Sugar 19 in. diam. bear N 31 W 36 lth. dist. of

a Beech 5 " " " N 37 E 36 " "

47.00 a Stream 35 lth. dist. wide Course S. W.

50.78 a Beech 10 in. diam.

76.00 Intersected the N. boundary 60 lth. N. of post

W. N. R. E. 2^d Mer. Indiana
ch. l. h.

Set post Cor. to Sec. 19 of 20, from which
at Beech 24 m. dist. by N 10 W 13 l. h. dist. of
a Do. 4 " " " S 22 E 22 "
Land Hilly, 2^d rate Sugar, Beech, Ash,
underg^g. Spruce &c.

North Between Sec. 19 of 20

40.00 Set q. Sec. post, from which
at Beech 12 m. dist. by S 51 W 28 l. h. dist. of
a Do. 18 " " " N 85 E 9 " "
42.14 at Beech 6 " "
56.50 a Stream 18 l. h. wide Course S. W.
80.00 Set post Cor. to Sec. 17, 18, 19 of 20, from which
at Beech 18 m. dist. by S 44 W 16 l. h. dist. of
a Do. 8 " " " N 26 E 21 "
Land Broken but rich 2^d rate, Beech, Poplar,
Ash &c. underg^g. Spruce &c.

East On Land^m. between Sec. 17 of 20

29.96 a Stream 14 l. h. wide Course S.
40.00 Set stump, q. Sec. post
79.58 a Stream 20 l. h. wide Course S. E.
80.50 Intersected E. boundary 48 l. h. N. of post
Rolling rich, 1st rate, timber Beech, Poplar,
Ash &c. underg^g. Spruce &c.

West Corrected between Sec. 17 of 20

40.25 Set q. Sec. post at average dist. from which
at Beech 6 m. dist. by N 48 W 10 l. h. dist. of
a Do. 30 " " " N 48 E 32 " "
80.50 to Sec. Corner.

West Corrected between Sec. 18 of 19

31.58 a Stream 15 l. h. wide Course W.
40.00 Set q. Sec. post, from which
at Beech 14 m. dist. by S 59 W 23 l. h. dist. of

159

St. N. N 10 E. D. Mer. Indiana
Ch. Lh.

at Beech 20 mi. dist. from N 59 E 14 Lh. dist. of
41.58 a Beech 4 "
74.75 Intersected the N. boundary 28 Lh. N. of post
Set post Cor. to Sec. 18 & 19, from which
at Beech 16 mi. dist. from N 82 W 10 Lh. dist. of
a Sugar 3 " " " N 39 8 "
Land level 1st rate, Beech, Sugar, Poplar &c.
under 1st price. July 28th 1819

North Between Sec. 17 & 18

5.50 a Beech 30 mi. dist.
40.00 Set q^r. Sec. post, from which
at Beech 10 mi. dist. from N 23 W 19 Lh. dist. of
a Do. 10 " " " N 31 E 9 "
80.00 Set post Cor. to Sec. 7, 8, 17 & 18, from which
a Sugar 3 mi. dist. from N 43 E 11 Lh. dist. of
at Beech 4 " " " N 29 W 6 "
Land rolling 1st rate, Beech, Sugar, Poplar &c.
under 1st price &c

East On Road^m. between Sec. 8 & 17

40.00 Set temp^y. q^r. Sec. post
79.78 Intersected N & S. line 163 Lh. N. of post
Land timber &c. same as on last mile.

West Cor. betw. Sec. 8 & 17

39.89 Set q^r. Sec. post, at average dist. from which
a Sugar 12 mi. dist. from N 74 W 32 Lh. dist. of
an Ironwood 6 " " " N 60 E 31 " "
79.78 to Sec. Corner

West Between Sec. 7 & 18

11.40 a Beech 11 mi. dist.
40.00 Set q^r. Sec. post, from which
an Ash 11 mi. dist. from N 3 E 8 Lh. dist. of
a Hickory 24 " " " N 6 E 33 " "

T10 N. R10 E. 2.^d Mer. IndianaCh² 1/2

- 61.43 a Sugar 15 mi. dist.
 75.26 Intersected W. boundary 128 lks. N. of post
 a Walnut 4 mi. dist. Cor. to Sec. 7 & 18, from which
 an Elm 3 mi. dist. bears S47 E 16 lks. dist. of
 a Do. 3 " " " N79 W 16 "
 Land level 1st rate, Beech, Ash, Poplar
 &c. undergth Spruce &c. Corner in fallen timber

North Between Sec. 7 & 8

- 14.64 at Beech 7 mi. dist.
 40.00 Let of Sec. post, from which
 a Hickory 8 mi. dist. bears N52 W 32 lks. dist. of
 an Elm 2 " " " N38 E 12 " "
 48.10 at Beech 10 " "
 57.54 a Stream 7 lks. wide Cor. S.W.
 80.00 Let post Cor. to Sec. 5, 6, 7 & 8, from which
 a Beech 5 mi. dist. bears S62 E 4 lks. dist. of
 a Sugar 18 " " " N54 W 4 " "
 Land rolling 1st rate, Beech, Poplar, Ash,
 Sugar &c. undergth Spruce

East Outland^m between Sec. 5 & 8

- 40.00 Let of Sec. post, temporarily
 79.33 Intersected N & S. line 204 lks. N. of post
 Land level 1st rate, Beech, Poplar, Ash &c.
 undergth Spruce, part fallen timber

West Corrected Connected between Sec. 5 & 8

- 39.66 Let of Sec. post at average dist. from which
 an Ash 8 mi. dist. bears N2 W 12 lks. dist. of
 a Beech 8 " " " N8 E 18 " "
 79.33 to Sec. Corner.

West Between Sec. 6 & 7

- 40.00 Let of Sec. post, from which
 a Sugar 8 mi. dist. bears N59 W 17 lks. dist. of

161

Twp. N. 10 E. 2. Mer. Indiana

ch. 1. 1/2

a Buckeye Wm. diam. bran 186 E 24. 1/2. dist. 4
 44.80 an Ash 24 " "
 74.95 Intersected N. boundary 152 1/2. N. of post
 Set post Cor. to Sec. 6 of 7, from which
 a Beech 12 in. diam. bran 140 E 4 1/2. dist. 4
 an Ash 36 " " N 17 W 16 " "
 Land level 1st rate Beech, Poplar, Ash, & Spruce

North Between Sec. 5 & 6

11.96 a Beech 7 in. diam.
 40.00 Set of Sec. post, from which
 a Beech 24 in. diam. bran N 42 W 46 1/2. dist. 4
 a do. 18 " " " S 75 E 6 " "
 66.04 a Beech 6 " "
 69.78 a Stream 16 1/2. wide Comd. S. W.
 76.34 Intersected S. boundary 34 1/2. N. of post
 Set post Cor. to Sec. 5 of 6, from which
 a Beech 7 in. diam. bran N 67 E 25 1/2. dist. 4
 a do 8 " " " N 41 W 31 " "
 Land rolling 2^d rate, Beech, Poplar, Ash, Spruce
 Variation 7.00 E.
 John Hendrick, L. S.

I certify that the foregoing transcript of field notes
 of Township N. 10 North, Range N. 10 East, 2. Mer.
 Indiana, has been compared, with the original notes
 in this Office and found to be correct.

Surveyor General's Office
 Cincinnati, Oct. 28th 1842

William Johnston
 Sur. Genl.